

		00003 Routine Self-Audit Checklist	
Permit Number: Lab room number(s): Performed By: Date:		Lab room number(s):	
		Date:	
Proc. #	Area of	Compliance	
6.1.4			
0.1.4	List of authorized users and required permits are current and up-to-date;		
6.1.4	Required permits and appropriate signs are present at entrance of the laboratory and/or within the laboratory space;		
6.1.5	No consumption, or evidence of consumption, of foodstuffs;		
6.1.6 6.1.7 6.1.8 6.1.9	Workspaces and equipment used for radioactive materials properly labeled and identified:		
6.1.10	Contamination monitoring is performed at least weekly, and records are maintained;		
6.1.11	All radioactive sources and containers of radioactive materials properly labeled (Isotope, Activity and Reference Date), and stored securely in appropriate containers with shielding as required:		
6.1.12	Inventory of all radioactive materials within the lab is maintained and accurate including a complete and current list of sealed sources.		
	Work is conducted within the posted permit limits;		
6.1.13	Personnel handling radioactive materials are designated as NEWs and have completed appropriate training;		
6.1.14	r ersonner handling radioactive materials are wearing appropriate dosimetry and		
6.1.15			
6.1.16	Survey and contamination monitoring instruments available or immediately accessible;		
6.1.17	Spill kits prepared and ready for use;		
6.1.18	Radioactive and inactive waste bins present and properly used;		
6.1.19	Labels on empty stock vial, pots and conta	iners defaced, removed or relabeled;	
	If permit changes are required, authorization is granted by the Health Physics Advisory Committee (HPAC);		

Name: ______ Signature: ______ Date: _____